



All Categories



Shopping Cart



NOTIFICATIONS

Comparison sheet as on : 21.06.2023 13:21

Buyer Selected Golden Filter(s)

Zoom Range Optical : 12X
Zoom Range Digital : 4X

Consignee Filters Applied

Delivery State: ODISHA

Quantity Required: 1

COMPARE PRODUCTS

If there are multiple products with same price as L-1 price, buyer can cart and buy any one of these under L-1 Purchase.

| | CATEGORY CURRENT L1 ⓘ | PRODUCT ADDED BY YOU | CATEGORY CURRENT L1 ⓘ | PRODUCT ADDED BY YOU |
|--|--------------------------|-------------------------|--------------------------|-------------------------|
|--|--------------------------|-------------------------|--------------------------|-------------------------|

| | | | | |
|---|--------------------|---------------------|--------------------|---------------------|
| Products costing more than ₹ 25,000.00 must be compared. Please Compare Product before adding to cart | People Link PTZ... | ATDSC PTZ Video.. | People Link PTZ... | AdonisAV PTZ... |
| | ₹ 99,500.00 | ₹ 144,000.00 | ₹ 99,500.00 | ₹ 150,000.00 |
| Price | ₹ 99,500.00 | ₹ 144,000.00 | ₹ 99,500.00 | ₹ 150,000.00 |
| Specification | | | | |
| Zoom Range Digital | 4X | 4X | 4X | 4X |
| Minimum Operating Humidity (%RH) | 10 | 20 | 10 | 10 |
| BIS Registration under CRS of Meity | NA | Yes | NA | NA |
| Type of Camera | PTZ | PTZ | PTZ | PTZ |
| Field of View (Degree) | 72.5 | 60 | 72.5 | 72.5 |
| Tilt Range (Minimum to Maximum (+/- Degree)) | -30,90 | -30,90 | -30,90 | -30,90 |

| | | | | |
|---|----------------------|----------------------|----------------------|----------------------|
| If Yes, UL/CE certificate Number (Corresponding UL/CE Certificate to be furnished when demanded by the buyer) | CE | PICL/ CE/ 0222/ 6073 | CE | -- |
| Camera for Video Conferencing System | Camera without Codec | Camera without Codec | Camera without Codec | Camera without Codec |
| Resolution | 1080p, 60fps | 1080p, 60fps | 1080p, 60fps | 1080p, 60fps |
| Multiple Camera System in case of Automatic Voice activated CameraTracking | NA | Single | NA | NA |
| Maximum Operating temperature (Degree C | 45 | 60 | 45 | 45 |
| Camera Positioning System | Preset | Preset | Preset | Preset |
| Input/Output Port | USB 3.0 | RJ45,USB 2.0 | USB 3.0 | RJ45,USB 3.0 |
| If yes , BIS Registration Number and its validity | N/A | R-81011070 | N/A | -- |
| Maximum Operating humidity (%RH) | 85 | 80 | 85 | 85 |

| | | | | |
|--|-----------|-----------|-----------|-----------|
| Free Installation and commissioning | Yes | Yes | Yes | Yes |
| Pan Range (Minimum to Maximum (+/- Degree)) | -170,170 | 170,-170 | -170,170 | -170,170 |
| Zoom Range Optical | 12X | 12X | 12X | 12X |
| Type of Sensor | CMOS | CMOS | CMOS | CMOS |
| Camera Control (focusing, brightness, and white balance) | Automatic | Automatic | Automatic | Automatic |
| On Site OEM Warranty (Year) | 1 | 1 | 1 | 1 |
| UL/CE certification | Yes | Yes | Yes | Yes |
| Availability of test reports to prove conformity to the specifications (Furnished when demanded by buyer) | No | No | No | No |
| Minimum Operating temperature (Degree C) | 0 | -10 | 0 | 0 |

WEB INFO

[Terms of Use](#)
[Website Policies](#)
[Document Help](#)
[Sitemap](#)
[Web Information Manager](#)

NEWS & EVENTS

[Newsroom](#)
[Gallery](#)
[Notifications](#)
[CCM Schedule](#)
[Forums](#)

TESTIMONIALS

TRAINING

[LMS](#)
[Training Calendar](#)
[Training Module](#)
[Facilitators](#)
[Download GeM Logo](#)

ABOUT GeM

[Introduction to GeM](#)
[Statistics](#)
[Right to Information](#)
[Analytics](#)
[New on GeM](#)

BRAND GeM

RESOURCES

[GeM Handbook](#)
[OM's/Circulars](#)
[Terms and Conditions](#)
[Policies/Manuals](#)
[Miscellaneous](#)

MOU'S

NEED HELP ?

[FAQs](#)
[Feedback](#)
[Raise a Ticket](#)
[Contact Us](#)
[Careers](#)



